## DIESEL PORTABLE TANKS 200L&400L MANUAL INSTRUCTION



# 200l&400l – diesel transportation tank

Universal and durable diesel oil

transportation and storage tank

#### Your new oil transportation tank

The newest, well-considered product made by Fortis Technology – 200&400 litre oil transportation tank is suitable for safe and quick diesel oil transportation. The tank is designed and manufactured to facilitate everyday works of contractors, farmers and employees of agriculture service companies that need often additional diesel oil for machines. The 200&400 litre tank allows supplementing quickly a level of oil in the machines and returning to work without unnecessary downtimes.

### STRONG CONSTRUCTION

The oil transportation tank is extremely durable. It is made of shock-resistant polyethylene, called PE as well. The tank weighs 40-50 kg and therefore it is easy to lift and move from one vehicle to the other.

## 1.Fortis Box 2001&400l to ADR 1.1.3.1 c)

Hazardous goods may also be transported using containers without ADR approval.


The following applies for containers without ADR approval:

- transport only for direct use with self-filling (i.e. approaching only one filling point and filling not done by a third party)
- $\circ$   $\$  unloading of the container from the vehicle at the place of filling is not permitted
- o no tagging (stickers) required
- $\circ$  ~ no requirement to equip with a fire extinguisher
- o no supporting documents required
- o permitted container content: max. 450 l; the so-called "1000 points rule" also applies (see section 1.2.1),
- o no repeat testing required
- o no reduction in service life.


## 2. TECHNICAL DATA


2.1 Tank


#### FB 2001



#### FB 4001







## 2.2 Pump

•

Description	BP3000INLINE
Voltage	24/12V
Flow rate	50/30 l/min 13/6 gpm
Power watt	310/80
RPM	2900/1500
Duty cycle	min 30


## 3. LAYOUT




- 1. Vents
- 2. Level gauge
- 3. 4" cap
- 4. Pump BP3000 12/24V
- 5. Nozzle holder
- 6. Aut. nozzle A60
- 7. Flow meter K24
- 8. 6m outflow hose

## 4. LOADING

1. Possible loading of the 200l tank on a palett



2. Possible loading of 4001 tank on a palett



3. An empty Fortis Box 200l&400l can be loaded by forklift



## **5. TRANSPORTING**

For fastening on the transport vehicle by means of suitable tension belts, use:



